

Notified body N° 0075

## **EC-TYPE EXAMINATION CERTIFICATE**

The following model of Personal Protective Equipment has been subjected to an EC-type examination in accordance with the article 10 of the PPE Directive (89/686/EEC) and has been shown to satisfy the relevant provisions of the Directive.

Certificate N°

0075/2131/162/12/14/1255

Is given to the following model of personal protective equipment:

Issued to:

Vicsa Steelpro Colombia S.A.S.

Km 7 Autopista Medellin, lote 49 Bodega 1-2, Parque empresarial Celta

Funza, Cundinamarca, Colombia

Colombia

Distributor:

1

Product reference:

MULTIFLEX NYLON NITRILO FOAM BLACK

Description:

PPE Type:

Protective gloves against

mechanical risks.

Reference standard:

EN 388: 2003.


Category:

11

Full description of the PPE, reference rules verified in the context of the EC-type examination and information given on the product are detailed in the complete certificate N°0075/2131/162/12/14/1255.

Issued in Lyon by Lionel Gaudillere Head of CE marking

Date of issue: December 22nd, 2014









#### INSTRUCTION FOR USE

## Vicsa Steelpro Colombia S.A.S.

Km 7 Autopista Medellin, lote 49 Bodega 1-2, Parque empresarial Celta Funza, Cundinamarca, Colombia

Colombia

Glove reference: MULTIFLEX NYLON NITRILO FOAM BLACK

8/S (301000790614 MULTIFLEX NYLON NITRILO FOAM BLACK),

Available sizes: 9/M (301000790615 MULTIFLEX NYLON NITRILO FOAM BLACK),

10/L (301000790616 MULTIFLEX NYLON NITRILO FOAM BLACK)

### Glove description:

Multiflex Nylon Nitrilo Foam Black

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the Directive 89/686/CEE: innocuousness, comfort, solidity.

It has been subject to a CE type Examination performed by :

C.T.C. (0075)

4, rue Hermann Frenkel

69367 LYON Cedex 07

FRANCE

#### Applicable standards :

The glove meets the requirements of the standard EN 420 « General requirements for work glove ». Dexterity : 5 Moreover, this glove has been designed for the following applications :



<u>Application</u>:
Mechanical hazard - EN 388





4121 Levels of performance

Abrasion resistance	4	(on 4 maxi)
Blade cut resistance	1	(on 5 maxi)
Tear resistance	2	(on 4 maxi)
Puncture resistance	1	(on 4 maxi)
	Blade cut resistance Tear resistance	Blade cut resistance 1 Tear resistance 2

#### Protection limit:

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted. The levels of performance mentioned are only valid for the palm of the glove. The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire.

Users should be warned that gloves should not be worn when there is a risk of entaglement by moving parts of machines.

### Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.



In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law,

#### CTC

4,rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

authorized by decrees of the Ministry of Work, Employment and Health of the 20<sup>th</sup> of December 2010, registered under the number 0075, published in OJEC, delivers:

# EC-TYPE EXAMINATION CERTIFICATE 0075/2131/162/12/14/1255

To the following model of personal protective equipment:

\* reference of the model:

MULTIFLEX NYLON NITRILO FOAM BLACK

\* protective glove against

mechanical risks.

\* Manufacturer:

Vicsa Steelpro Colombia S.A.S.

Km 7 Autopista Medellin, lote 49 Bodega 1-2, Parque empresarial Celta Funza, Cundinamarca, Colombia

Colombia

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on December 22nd, 2014

Issued by Lionel GAUDILLER

NOTA: Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.



## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference: MULTIFLEX NYLON NITRILO FOAM BLACK

**Basic Model** 

Dated: DECEMBER, 2014

Multiflex Nylon Nitrilo Foam Black

## Available sizes:

8/S (301000790614 MULTIFLEX NYLON NITRILO FOAM BLACK), 9/M (301000790615 MULTIFLEX NYLON NITRILO FOAM BLACK), 10/L (301000790616 MULTIFLEX NYLON NITRILO FOAM BLACK)

## Visual description:



## Material:

	Color	Material	Gauges	Thickness
PALM	black	nitrile		
	black	nylon	13G	
BACK	black	nylon	13G	
LINING				
CUFF	black	nylon	13G	
BINDING	yellow/ green/ blue/ brown	polyester		



## 3. MARKING

# Each glove is clearly marked with the following information:

- \* Logo of the authorized representative:
- \* (€ marking
- \* reference of the model:

MULTIFLEX NYLON NITRILO FOAM BLACK

- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* information pictogram

## Marking example:









# 2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- \* EN 420:2003+A1:2009
- General requirements for gloves and test methods
- \* EN 388:2003
- Protective glove against mechanical risks
- \* At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (552/2009/EC and associated revisions)
- \* This product is a category II.

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	СТС	Other
EN 420	SH62442R2-14, SH62444R2-14	
Azo	SH62442R2-14, SH62444R2-14	
EN 388	SH62442R2-14	
OTHER	SH62442R2-14 (DMFu, Tin, Cad)	

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	2	1

The levels of performance have been measured on the palm